

or
ASAF

150797

Page 1

N900040100

Setup Start

NS1

Stop

NS2

*** 1 ***

*** 1 ***

Reference:

Date:

Run Start

NR1

Date:

Stop

NR2

**Insp.
Stamp**

DAS

DAS

21
9-89

SEP 08 2016

0.00

9-89

0.00

Photocopy bluefile and type labels as per PPP D206-558-041 CHG009

DAS
27
9-8

SEP 08 2016

0.00

1

FF

SEP 07 2016

0.11

Assemble as per Dwg D206-558
PAGE 10 IN BLUE FILE

0.00

0.00

1

DAS
38
9-89

Quality Control

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By 		
							Lead hand / Supervisor Approval Verification 		
							QC / QA Coordinator Approval 		

Root Cause				FAULT CATEGORY			
☐ Environment	☐ Design	☐ Doc/Data	☐ Equip/Tooling	☐ Handling/Pre	☐ Material	☐ Internal Transport	☐ Tribal Knowledge
☐ LOA	☐ Substation	☐ Past Expiry Date	☐ Misidentified	☐ No Re-verification	☐ Operator	☐ Offset/Setup	☐ Supplier
				☐ Training	☐ Use for Testing	☐ Poor Information	☐ Rushing
				☐ Product Improvement	☐ Process Improvement	☐ Manufacturing Process	☐ Past Due
				☐ OTHER : _____			

Work Order ID 150797

Tuesday, September 06, 2016 3:24:35 PM

150797

Page 2

Item ID: D206-558-041

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Single Mirror Installation

Start Date: 9/6/2016 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 9/8/2016 Req'd Qty: 1.00 ***1***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
125	Pick Kit	0.00				<u>1</u>	<u>PC</u>		
125									
Packaging	Memo	0.00							
Packaging									
130	QC4- 100% Inspect kits for completeness	0.00							
130									
QC	Memo	0.01							
Quality Control									
140		0.00							
140									
Packaging	Packaging								
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D206-558-041 LOCATION: FG011								

*Sold*DAS
27
9-89
SEP 08 2016DAS
28
9-89
DAS
27
9-89

SEP 08 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Work Order ID 150797

Tuesday, September 06, 2016 3:24:35 PM

150797

Page 3

Item ID: D206-558-041

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Single Mirror Installation

Start Date: 9/6/2016 Start Qty: 1.00

1

Cust Item ID:

Required Date: 9/8/2016 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

NR1

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyDAS
21
9-89Reject
QtyReject
NumberInsp.
Stamp

150

QC21- Final Inspection - Work Order Release

0.00

150

SEP 08 2016

QC

Memo

0.02

Quality Control

 SEP 08 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Tuesday, September 06, 2016 3:24:34 PM

150797

D206-558-041

Start Date: 9/6/2016**Required Date:** 9/8/2016

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP F02.09.19Re-format; Incorporated D2065KJ
IPP Rev:G 08-05-14 now @ chg006/add D3778-1 per ECN1171 DD
verified:ec
IPP Rev:H 08-08-19 now @ chg 007 DD verified by:ec IPP Rev:I
10.03.17 add pick kit DD verified by:JLM IPP REV:J 11.01.19 AS
PER CHG009 DD VRF:EC IPP REV:K 14.09.09 AS PER IIN
REV.D DD VRF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
AN3-4A *AN3-4A* Bolt		Purchased	No			125	Each	156.0000	4	4			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST350		156							
				m134955		156							
AN526-1032R9 *AN526-1032R9* Screw		Purchased	No			125	Each	55.0000	4	4			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST326		55							
				m131139		55							
D2011-101 *D2011-101* Mirror 6"		Manufactured	No			110	Each	23.0000	1	1			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				FG		2							
				106348		2							
				ST368		21							
				146270		9							
				148838		12							

SEP 07 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Picklist Print

Tuesday, September 06, 2016 3:24:34 PM

Page 2

Work Order ID: 150797

150797

Parent Item: D206-558-041

D206-558-041

Parent Item Name: Single Mirror Installation

Start Date: 9/6/2016

Required Date: 9/8/2016

Start Qty: 1.00

Required Qty: 1.00

D2052 Manufactured No

110

Each

15.0000

2

2

DAS
30
9-89

SEP 08 2016

D2052

Bracket

**

Location

Loc Qty

Loc Code

GA

15

108808

5

146603

10

2

D2053 Manufactured No

110

Each

18.0000

1

1

PC

DAS
6
9-89

D2053

Bracket

**

Location

Loc Qty

Loc Code

ST002

2

101704

2

ST012a

16

108842

16

1

D2054 Manufactured No

110

Each

19.0000

2

2

DAS
30
9-89

D2054

Bushing - Delrin

**

Location

Loc Qty

Loc Code

GA

19

109091

19

2

D2055 Manufactured No

110

Each

19.0000

1

1

DAS
30
9-89

D2055

Clamp

**

Location

Loc Qty

Loc Code

GA

19

105730

12

95397

7

1

SEP 07 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Tuesday, September 06, 2016 3:24:34 PM

Page 3

Work Order ID: 150797

150797

Parent Item: D206-558-041

D206-558-041

Parent Item Name: Single Mirror Installation

Start Date: 9/6/2016

Required Date: 9/8/2016

Start Qty: 1.00

Required Qty: 1.00

D2056 Manufactured No

110

Each

13.0000

1

1

**

DAS
30
9-89

SEP 08 2016

D2056

Bell Crank Assembly

Location

Loc Qty

Loc Code

GA

13

109921

3

147595

10

D2057 Manufactured No

110

Each

27.0000

1

1

**

DAS
30
9-89

D2057

Plug

Location

Loc Qty

Loc Code

GA

27

112928

1

141007

26

D2065 Manufactured No

110

Each

1.0000

1

1

**

PC

D2065

Mirror Arm

Location

Loc Qty

Loc Code

ST360

1

141047

1

D2067 Manufactured No

125

Each

30.0000

1

1

**

PC

D2067

Connector

Location

Loc Qty

Loc Code

ST002

30

105444

30

DAS
27
9-89

DAS
6
9-89

SEP 07 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Tuesday, September 06, 2016 3:24:35 PM

Page 4

Work Order ID: 150797

150797

Parent Item: D206-558-041

D206-558-041

Parent Item Name: Single Mirror Installation

Start Date: 9/6/2016

Required Date: 9/8/2016

Start Qty: 1.00

Required Qty: 1.00

D2071

Manufactured No

125

Each

8.0000

1

1

D2071

Cable Assembly - 32"

**

PC

DAS
6
9-89

DAS
27
9-89

Location

Loc Qty

Loc Code

FG

1

71206

1

ST216

7

140496

7

D3778-1

Manufactured No

125

Each

8.0000

1

1

D3778-1

Bracket

**

PC

DAS
6
9-89

DAS
27
9-89

Location

Loc Qty

Loc Code

ST053

8

131854

2

147508

6

MS21042L3

Purchased No

110

Each

1,788.000

2

2

MS21042L3

Nut

**

PC

Location

Loc Qty

Loc Code

FP001

14

m133790

14

GA

303

m134360

112

m135135

191

OVER007

600

m135530

600

ST303

871

m135135

271

m135407

600

SEP 07 2016

Tuesday, September 06, 2016 3:24:35 PM

Shop Packet Print

Page 4

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Tuesday, September 06, 2016 3:24:35 PM

Page 5

Work Order ID: 150797

150797

Parent Item: D206-558-041

D206-558-041

Parent Item Name: Single Mirror Installation

Start Date: 9/6/2016

Required Date: 9/8/2016

Start Qty: 1.00

Required Qty: 1.00

MS21042L3 Purchased No

125

Each

1,788.000

1

1

MS21042L3

Nut

PC

DAS
6
9-89

<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
FP001	14	
m133790	14	
GA	303	
m134360	112	
m135135	191	
OVER007	600	
m135530	600	
ST303	871	
m135135	271	
m135407	600	

DAS
27
9-89

MS21919-DG5 Purchased No

125

Each

62.0000

2

2

MS21919-DG5

Clamp

PC

DAS
6
9-89

<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
ST293	62	
m134134	12	
m135544	50	

DAS
27
9-89

MS27039-1-18 Purchased No

110

Each

1,765.000

2

2

MS27039-1-18

Screw

PC

<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
GA	247	
123522	51	
124326	196	
over006	1171	
124326	1171	
ST280	347	
124326	347	

SEP 07 2016

Tuesday, September 06, 2016 3:24:35 PM

Shop Packet Print

Page 5

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : ☐					

Picklist Print

Tuesday, September 06, 2016 3:24:35 PM

Page 6

Work Order ID: 150797

150797

Parent Item: D206-558-041

D206-558-041

Parent Item Name: Single Mirror Installation

Start Date: 9/6/2016

Required Date: 9/8/2016

Start Qty: 1.00

Required Qty: 1.00

MS35489-67 Purchased No

125

Each

48.0000

1

1

MS35489-67

GROMMET

**

PC

DAS
27
9-89

Location

Loc Qty

Loc Code

ST269

48

121600

48

MS35489-9

Purchased

No

125

Each

6.0000

1

1

MS35489-9

Grommet

**

PC

DAS
27
9-89

Location

Loc Qty

Loc Code

ST270

6

m132262

6

NAS1149D0332J

Purchased

No

125

Each

1,598.000

6

6

NAS1149D0332.J

Washer

**

PC

DAS
27
9-89

Location

Loc Qty

Loc Code

CA

6

m129682

6

FP001

510

m134848

510

ST260a

600

m135566

600

ST264

482

m135536

482

SEP 07 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause			FAULT CATEGORY								
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER : _____							
Misidentified	☐	Past Due	☐								

Picklist Print

Tuesday, September 06, 2016 3:24:35 PM

Page 7

Work Order ID: 150797

150797

Parent Item: D206-558-041

D206-558-041

Parent Item Name: Single Mirror Installation

Start Date: 9/6/2016

Required Date: 9/8/2016

Start Qty: 1.00

Required Qty: 1.00

NAS1149D0363J

Purchased

No

110

Each

1,417.000

4

4

NAS1149D0363.J

Washer

Ne

Location

Loc Qty

Loc Code

GA

352

m134055

352

ST263

1065

m134955

65

m135297

1000

SEP 07 2016

4

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			Completed By
					Lead hand / Supervisor Approval Verification
					QC / QA Coordinator Approval
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

4.0 WEIGHT AND BALANCE

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
D206-558-041	2.4 lb	+5.0 in	+12.0 in-lb	+14.8 in	+35.5 in-lb
Bell 206A/B/L/L1/L3/L4	1.09 Kg	+0.13 m	+0.14 m-Kg	+0.38 m	+0.41 m-Kg
D206-558-043	3.0 lb	0.0 in	0.0 in-lb	+14.8 in	+44.4 in-lb
Bell 206A/B/L/L1/L3/L4	1.36 Kg	0.0 m	0.0 m-Kg	+0.38 m	+0.52 m-Kg
D407-558-045	2.4 lb	+5.0 in	+12.0 in-lb	+14.8 in	+35.5 in-lb
Bell 407	1.09 Kg	+0.13 m	+0.14 m-Kg	+0.38 m	+0.41 m-Kg
D407-558-047	3.0 lb	0.0 in	0.0 in-lb	+14.8 in	+44.4 in-lb
Bell 407	1.36 Kg	0.0 m	0.0 m-Kg	+0.38 m	+0.52 m-Kg

5.0 PARTS LIST

Qty -041	Qty -043	Qty -045	Qty -047	Part Number	Description
X				D206-558-041	SINGLE CARGO MIRROR ASSEMBLY
	X			D206-558-043	DUAL CARGO MIRROR ASSEMBLY
		X		D407-558-045	SINGLE CARGO MIRROR ASSEMBLY
			X	D407-558-047	DUAL CARGO MIRROR ASSEMBLY
1	2	1	2	D2011-101	MIRROR ASSEMBLY
2	2	2	2	D2052**	BRACKET
1	1	1	1	D2053	BRACKET
2	2	2	2	D2054**	BUSHING
1	1	1	1	D2055**	CLAMP
1	1	1	1	D2056**	BELLCRANK ASSEMBLY
1		1		D2057	PLUG
1		1		D2065	ARM
	1		1	D2066	ARM
1	1	1	1	D2067	CONNECTOR
1	1			D2071	CABLE ASSEMBLY
		1	1	D2071-5	CABLE ASSEMBLY
1	2	1	2	D3014-1*	LOCKNUT
1	1			D3778-1	BRACKET
		1	1	D3778-3	BRACKET
4	4	4	4	AN3-4A	BOLT
4	4	4	4	AN526-1032R9	SCREW
1	2	1	2	NAS1149D0416P*	WASHER (AN960JD416L)
4	4	4	4	NAS1149D0363P**	WASHER (AN960JD10)
6	6	6	6	NAS1149D0332P	WASHER (AN960JD10L)
3	1	3	1	MS21042-3	NUT (or MS21042L3)
	2		2	MS21042-3**	NUT (or MS21042L3)
2	2	2	2	MS21919DG5	CLAMP
2	2	2	2	MS27039-1-18**	SCREW
1	1	1	1	MS35489-9	GROMMET
1	1	1	1	MS35489-67	GROMMET

* INCLUDED AS PART OF D2011-101 MIRROR ASSEMBLY

** INCLUDED AS PART OF D2066 ARM (REF. -043/-047 ONLY)

• COPYRIGHT © 2001 BY DART AEROSPACE LTD. •
 THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED
 OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: D

Date: 14.08.08